

AMENDMENTS TO THE DRAWINGS:

The attached drawings include changes to FIGS. 2 and 3. The sheets containing FIGS. 2 and 3 replace the original sheets including FIGS. 2 and 3. In FIGS. 2 and 3, the drawings have been updated to show how the display part is connected to the first engaging pipe.

REMARKS

INTRODUCTION

In accordance with the foregoing, claim 1 has been amended. Claims 1-29 and 32-33 are pending and under consideration.

ALLOWABLE SUBJECT MATTER

On page 5, claims 3-16 and 24-27 have been allowed.

Claims 20-22 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

EXAMINER INTERVIEW

An in-person interview was held with Examiner Todd Epps, Examiner Joey Wujciak, and Lisa Kilday (Applicants' attorney) on January 18, 2007, wherein claim 1 and Figures 2 and 3 were discussed. Applicants thank Examiner Epps for his time and attention to clarifying changes suggested to place the application into form for allowance.

Claim 1 has been amended and Figures 2 and 3 have been updated in accordance with the Examiner's suggestions.

CONCLUSION

There being no further outstanding objections or rejections, the application is submitted as being in condition for allowance which action is earnestly solicited.

Finally, if there are any formal matters remaining after this response, the Examiner is requested to telephone the undersigned to attend to these matters.

If there are any additional fees associated with filing of this Amendment, please charge the same to our Deposit Account No. 19-3935.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Feb 5, 2007

By: Gregory W. Harper
Gregory W. Harper
Registration No. 55,248

1201 New York Avenue, NW, 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501



ATTACHMENT TO THE SUPPLEMENTAL AMENDMENT
FEBRUARY 5, 2007
SERIAL NO. 10/695,351